

10

Entering Fitting Data

There is no specific point about inserting Fitting data. The only point to be mentioned is that you will have two options when completing Material Index data, since the material of Fittings which are placed inside the vessel might differ from that of those placed outside of the vessel. Therefore, if Fitting Location is adjusted on Internal, Material field will be automatically completed with the material of the Internal Fitting. In contrast, the Material field will be automatically completed with the material of the External Fitting if the Fitting Location field is adjusted on External.

FITTING

Item No. 80-D-4802 B Show all items PVMmanage

Fitting Type 90° Long Radius Elbow Fitting Location External

Fitting Size (in) 1 1/2 Material SA-234-WPB

Fitting Schedule Sch 160 Quantity 1 Check Vacancy

| No. | Title No. | Type | Size (in) | Schedule | Location | Material | W/One (Kg) | QTY | Total (Kg) |
|-----|-------------|-----------------------|-----------|-----------|----------|------------|------------|---------|------------|
| | | | | | | | | Sum: 23 | Sum: 1 |
| 1 | 80-D-3802 B | 90° Long Radius Elbow | 1 1/2 | Sch 160 | External | SA-234-WPB | .8 | 1 | .8 |
| 2 | 80-D-3802 B | 45° Long Radius Elbow | 1 | Sch XXSTG | External | SA-234-WPB | .19 | 3 | .6 |
| 3 | 80-D-4802 B | 90° Long Radius Elbow | 1 1/2 | Sch 160 | External | SA-234-WPB | .8 | 1 | .8 |
| 4 | 80-D-4802 B | 45° Long Radius Elbow | 1 | Sch XXSTG | External | SA-234-WPB | .19 | 1 | .2 |
| 5 | 80-D-5802 B | 45° Long Radius Elbow | 1 | Sch XXSTG | External | SA-234-WPB | .19 | 1 | .2 |
| 6 | 80-D-5802 B | 90° Long Radius Elbow | 1 1/2 | Sch 160 | External | SA-234-WPB | .8 | 1 | .8 |
| 7 | 88-D-9100 | 90° Long Radius Elbow | 28 | Sch STD | Internal | SA-234-WP1 | 300 | 3 | 900 |
| 8 | 88-D-9100 | Equal Tee | 16 | Sch 10 | Internal | SA-234-WP1 | 90.8 | 2 | 181 |
| 9 | 88-D-9100 | Concentric Reducer | 26 x 18 | Sch 10 | Internal | SA-234-WP1 | 75 | 2 | 150 |
| 10 | 88-D-9100 | Standard Cap | 32 | Sch 20 | Internal | SA-234-WP1 | 93 | 2 | 186 |
| 11 | 88-D-9080 | 90° Long Radius Elbow | 1 1/2 | Sch STD | External | SA-234-WPB | .36 | 1 | .4 |
| 12 | 88-D-9080 | 90° Long Radius Elbow | 1 1/2 | Sch 160 | External | SA-234-WPB | .8 | 1 | .8 |
| 13 | 80-D-5802 B | 45° Long Radius Elbow | 1 | Sch STD | External | SA-234-WPB | .19 | 1 | .2 |

Filtering Tools Digit Grouping

Copy Nearest Copy Last New Part Save Data Clear Form

Fig. 10-1 – (Entering Fitting Data Menu)